| L Number | Hits | Search Text | DB | Time stamp |
|----------|--------|---|------------------------|-------------------|
| 2 | 763 | voltage adj adder.ab. | USPAT; | 20.02/04/30 10:55 |
| | | | US-PGPUB; | , , |
| | | | EPO; JPO; | |
| + | | | DERWENT; | |
| | | | IBM_TDB | |
| 1 | 1 | voltage adj substractor.ab. | USPAT; | 2002/04/30 10:55 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | / . 7 | IBM_TDB | 2000/04/20 10 55 |
| 3 | 30 | (voltage adj adder.ab.) and subtractor | USPAT; | 2002/04/30 10:55 |
| | | | US-PGPUB; EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 4 | 30 | ((voltage adj adder.ab.) and subtractor) not | USPAT; | 2002/04/30 10:56 |
| | | us.cc. | US-PGPUB; | , , , |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 5 | 6 | ((voltage adj adder.ab.) and subtractor) and | USPAT; | 2002/04/30 10:57 |
| 1 | | differential | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| 6 | 195736 | differential.ab. | IBM_TDB | 2002/04/30 10:58 |
| 6 | 190/36 | directional.ab. | USPAT; US-PGPUB; | 2002/04/30 10:56 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 7 | 5722 | differential.ab. and (MOS or MOSFET or NFET | USPAT; | 2002/04/30 10:58 |
| | | or PFET) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 4455 | /4iffamantial ab ===3 /NOC == NOCERT | IBM_TDB | 2002/04/20 27 22 |
| 8 | 1157 | | USPAT; | 2002/04/30 11:00 |
| | | or PFET)) and (differential adj2 voltage) | US-PGPUB; EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 9 | 0 | ((differential.ab. and (MOS or MOSFET or | USPAT; | 2002/04/30 11:00 |
| | | NFET or PFET)) and (differential adj2 | US-PGPUB; | |
| | | voltage)) and substractor | EPO; JPO; | |
| | | | DERWENT; | |
| 10 | 4.5 | //differential ob and /MOG MOGREE | IBM_TDB | 2002/04/20 22 02 |
| 10 | 47 | ((differential.ab. and (MOS or MOSFET or NFET or PFET)) and (differential adj2 | USPAT; US-PGPUB; | 2002/04/30 11:00 |
| | | voltage)) and adder | EPO; JPO; | |
| | | Tolongo// and addor | DERWENT; | |
| | | | IBM_TDB | |
| 11 | 44 | | USPAT; | 2002/04/30 11:18 |
| | | NFET or PFET)) and (differential adj2 | US-PGPUB; | |
| | | voltage)) and adder) not us.cc. | EPO; JPO; | |
| | | | DERWENT; | |
| 10 | _ | /#5420227# #5405110# #5570065# | IBM_TDB | 2002/04/20 11 12 |
| 12 | 9 | ("5430337" "5485119" "5578965" "5581211" "5617052" "5712594" | USPAT | 2002/04/30 11:13 |
| | | "5581211" "5617052" "5712594" "5909136" "5909137" "5925094").PN. | | |
| 13 | 5 | 1 | USPAT | 2002/04/30 11:16 |
| | , | "5489868" "5521542").PN. | | |
| 14 | 5 | 1 | USPAT | 2002/04/30 11:17 |
| | | "5317217" "5357208").PN. | | |
| 15 | 4 | adder.ti. and substractor.ti. | USPAT; | 2002/04/30 11:20 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | <u> </u> | IBM_TDB | |

| 16 | 61 | ((differential.ab. and (MOS or MOSFET or | USPAT; | 2002/04/30 11:21 |
|----|----|---|-----------|------------------|
| | | NFET or PFET)) and (differential adj2 | US-PGPUB; | |
| | | voltage)) and (level adj shifter) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 17 | 58 | (((differential.ab. and (MOS or MOSFET or | USPAT; | 2002/04/30 11:21 |
| | | NFET or PFET)) and (differential adj2 | US-PGPUB; | |
| | | voltage)) and (level adj shifter)) not | EPO; JPO; | |
| | | us.cc. | DERWENT; | |
| | | | IBM_TDB | |
| 18 | 1 | "5381113".PN. | USPAT | 2002/04/30 11:54 |

Titles of Most Frequently Occurring Classifications of Patents Returned From A Search of 09940472 on November 26, 2001

19 330/253 (13 OR, 6 XR) Class 330: AMPLIFIERS WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G., 330/250 TRANSISTOR) 330/252 .Including differential amplifier 330/253 .. Having field effect transistor 10 327/563 (4 OR, 6 XR) Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS 327/524 SPECIFIC IDENTIFIABLE DEVICE, CIRCUIT, OR SYSTEM 327/560 .Nonlinear amplifying circuit 327/563 .. With differential amplifier 8 327/359 (0 OR, 8 XR) Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS 327/334 SPECIFIC INPUT TO OUTPUT FUNCTION 327/355 .Combining of plural signals 327/356 ..Product 327/359 ...Differential amplifier 8 330/261 (1 OR, 7 XR) Class 330: AMPLIFIERS 330/250 WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G., TRANSISTOR) 330/252 .Including differential amplifier 330/261 .. Having particular biasing arrangement 7 330/252 (1 OR, 6 XR) Class 330: AMPLIFIERS 330/250 WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G., TRANSISTOR) 330/252 .Including differential amplifier 7 330/258 (1 OR, 6 XR) Class 330: AMPLIFIERS 330/250 WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G., TRANSISTOR) 330/252 .Including differential amplifier 330/258 .. Having common mode rejection circuit 6 327/357 (2 OR, 4 XR) Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS 327/334 SPECIFIC INPUT TO OUTPUT FUNCTION 327/355 .Combining of plural signals 327/356 ..Product 327/357 ...Quadrant 5 330/257 (0 OR, 5 XR) Class 330: AMPLIFIERS WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G., 330/250 TRANSISTOR) 330/252 Including differential amplifier 330/257 .. Having current mirror amplifier 4 327/103 (2 OR, 2 XR) Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS 327/100 SIGNAL CONVERTING, SHAPING, OR GENERATING 327/103 .Converting input voltage to output current or vice versa 4 327/361 (0 OR, 4 XR)

```
Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
            DEVICES, CIRCUITS, AND SYSTEMS
    327/334
                 SPECIFIC INPUT TO OUTPUT FUNCTION
    327/355
                 .Combining of plural signals
    327/361
                 ..Summing
4 327/552
           (2 OR, 2 XR)
    Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
           DEVICES, CIRCUITS, AND SYSTEMS
                 SPECIFIC IDENTIFIABLE DEVICE, CIRCUIT, OR
    327/524
             SYSTEM
    327/551
                 .Unwanted signal suppression
   327/552
                 ..Active filter
4 327/560
           (0 OR, 4 XR)
   Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
           DEVICES, CIRCUITS, AND SYSTEMS
    327/524
                 SPECIFIC IDENTIFIABLE DEVICE, CIRCUIT, OR
            SYSTEM
    327/560
                 .Nonlinear amplifying circuit
4 327/65
           (3 OR, 1 XR)
   Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
           DEVICES, CIRCUITS, AND SYSTEMS
   327/1
                 SPECIFIC SIGNAL DISCRIMINATING (E.G.,
              COMPARING, SELECTING, ETC.) WITHOUT SUBSEQUENT CONTROL
    327/50
                 .By amplitude
    327/63
                 .. Comparison between plural varying inputs
   327/65
                 ...Differential input
           (0 OR, 4 XR)
4 327/66
   Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
           DEVICES, CIRCUITS, AND SYSTEMS
   327/1
                 SPECIFIC SIGNAL DISCRIMINATING (E.G.,
              COMPARING, SELECTING, ETC.) WITHOUT SUBSEQUENT CONTROL
   327/50
                 .By amplitude
   327/63
                 .. Comparison between plural varying inputs
   327/65
                 ...Differential input
   327/66
                 ....Current mirror
           (1 OR, 3 XR)
4 330/254
   Class 330: AMPLIFIERS
                 WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G.,
   330/250
             TRANSISTOR)
   330/252
                 Including differential amplifier
   330/254
                 .. Having gain control means
3 323/315
           (1 OR, 2 XR)
   Class 323: ELECTRICITY: POWER SUPPLY OR REGULATION
   323/304
                 SELF-REGULATING (E.G., NONRETROACTIVE)
   323/311
                 .Using a three or more terminal semiconductive
             device as the final control device
   323/312
                 .. For current stabilization
   323/315
                 ...Including parallel paths (e.g., current
            mirror)
3 327/356
           (3 OR, 0 XR)
   Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
           DEVICES, CIRCUITS, AND SYSTEMS
   327/334
                 SPECIFIC INPUT TO OUTPUT FUNCTION
   327/355
                 .Combining of plural signals
   327/356
                 ..Product
3 327/538
           (0 OR, 3 XR)
   Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
           DEVICES, CIRCUITS, AND SYSTEMS
   327/524
                SPECIFIC IDENTIFIABLE DEVICE, CIRCUIT, OR
             SYSTEM
```

.With specific source of supply or bias voltage

327/530

. . . .

```
327/538
                 ..Stabilized (e.g., compensated, regulated,
3 330/255
            (1 OR, 2 XR)
    Class 330: AMPLIFIERS
    330/250
                  WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G.,
              TRANSISTOR)
    330/252
                 .Including differential amplifier
    330/255
                 .. Having push-pull amplifier stage
            (0 OR, 3 XR)
3 330/300
    Class 330: AMPLIFIERS
    330/250
                  WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G.,
              TRANSISTOR)
    330/299
                  .Including combined diverse-type semiconductor
             device
    330/300
                 .. Bipolar or unipolar (FET)
            (0 OR, 3 XR)
3 330/303
    Class 330: AMPLIFIERS
                  WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G.,
    330/250
              TRANSISTOR)
    330/302
                  .Including frequency-responsive means in the
             signal transmission path
    330/303
                 .. Including an active device in the filter
             means
3 330/311
            (0 OR, 3 XR)
    Class 330: AMPLIFIERS
                  WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G.,
    330/250
              TRANSISTOR)
    330/310
                 .Including plural stages cascaded
    330/311
                 .. Having different configurations
3 363/73
            (1 OR, 2 XR)
    Class 363: ELECTRIC POWER CONVERSION SYSTEMS
    363/25
                 ....With automatic control of the magnitude of
              output voltage or current
    363/73
                 .Constant current to constant voltage or vice
             versa
            (2 OR, 0 XR)
2 323/312
    Class 323: ELECTRICITY: POWER SUPPLY OR REGULATION
            SYSTEMS
    323/304
                 SELF-REGULATING (E.G., NONRETROACTIVE)
    323/311
                  .Using a three or more terminal semiconductive
             device as the final control device
    323/312
                 .. For current stabilization
            (0 OR, 2 XR)
2 327/113
    Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
            DEVICES, CIRCUITS, AND SYSTEMS
    327/100
                 SIGNAL CONVERTING, SHAPING, OR GENERATING
    327/113
                  .Frequency or repetition rate conversion or
             control
            (2 OR, 0 XR)
2 327/352
    Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
            DEVICES, CIRCUITS, AND SYSTEMS
    327/334
                 SPECIFIC INPUT TO OUTPUT FUNCTION
    327/350
                  .Logarithmic
    327/352
                 .. With summing
2 327/557
            (0 OR, 2 XR)
    Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
            DEVICES, CIRCUITS, AND SYSTEMS
    327/524
                 SPECIFIC IDENTIFIABLE DEVICE, CIRCUIT, OR
              SYSTEM
```

.Unwanted signal suppression

327/551

س د شوه در در در د

327/552 ..Active filter 327/557 ...Bandpass

2 327/63 (1 OR, 1 XR)

Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR

327/1

DEVICES, CIRCUITS, AND SYSTEMS

SPECIFIC SIGNAL DISCRIMINATING (E.G.,
COMPARING, SELECTING, ETC.) WITHOUT SUBSEQUENT CONTROL
.By amplitude

327/50

327/63 ..Comparison between plural varying inputs

2 330/260

30/260 (0 OR, 2 XR) Class 330 : AMPLIFIERS

WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G., TRANSISTOR) 330/250

Including differential amplifier ...Having signal feedback means 330/252 330/260